



Einhell

PAINT SPRAY SYSTEMS.
ONE SYSTEM DOES IT ALL.



Find exactly what you need for any application including
interior wall paints, lacquers or glazes.

ONE SYSTEM DOES IT ALL.

INTERIOR WALL PAINTS – LACQUERS – GLAZES.



TC-SY 400 P

TC-SY 500 P

TC-SY 600 S



Einhell paint spray systems – great to have around the house.

Create your world the way you want it – with the Einhell TC-SY 400 P, TC-SY 500 P, TC-SY 600 S and TC-SY 700 S paint spray systems. You will find exactly what you need for any application including interior wall paints, lacquers or glazes in this product family.

The removable spray head, also available as accessory, makes the change of paint you are using quick and easy.



THE ADVANTAGES

BRIEF SUMMARY.

- One system does it all: Interior wall paints, lacquers and glazes
- Saves time compared to brushes and paint rollers
- Usable on any surface
- Uniform paint application
- Removable spray head makes the change of paint quick and easy
- Precise working and outstanding results even on small areas, corners and edges
- High mobility and flexible working
- Beautiful results even on non-uniform sub-surfaces, e.g. unrendered masonry

Adapted for:



INTERIOR WALL PAINTS



LACQUERS



GLAZES



FASTER WORKING
compared to brushes
and paint rollers



PRECISE WORKING
even on corners and edges
that are difficult to reach



**EASY CHANGE
OF PAINT**
problem-free & fast



**UNIFORM PAINT
APPLICATION**
on all surfaces



HIGH MOBILITY
enables flexible
working



TC-SY 400 P

FOR LACQUERS & GLAZES.

The TC-SY 400 P is an electric hand-held paint spray system for small and medium-size work spaces which is adapted for lacquers and glazes.

The paint flow regulation as well as the adjustable air cap for vertical, horizontal and round jet enable exact and flexible adaptation to every application. The removable spray head makes the change of paint as well as the cleaning of all elements which come into contact with the paint to child's play.

Standard accessories

- 2 nozzles for different viscosities of lacquer and glaze
- Purification brush for cleaning the uptake
- Purification needle for cleaning the spray nozzle
- Container for examination of viscosity
- Lid for paint container
- 800 ml paint container

Technical data

- | | |
|-----------------------------|-------------------|
| ■ Mains supply | 220-240 V 50 Hz |
| ■ Power rating | 400 W |
| ■ Flow rate | 500 ml/min |
| ■ Volume of paint container | 800 ml |



Removable spray head

for easy change of paint and cleaning all paint-leading elements

Practical suspension device

for space-saving storage

Adjustable air cap

for vertical, horizontal and round jet

Paint flow regulation

for ideal adaptation of paint application

Paint container (800 ml)

with measuring scale for easy refilling the paint

Ergonomic soft grip

for comfortable handling





TC-SY 500 P

FOR LACQUERS & GLAZES.

The TC-SY 500 P is an electric hand-held paint spray system for small and medium-size work spaces which is adapted for lacquers and glazes.

The paint flow regulation as well as the adjustable air cap for vertical, horizontal and round jet enable exact and flexible adaptation to every application. The removable spray head makes the change of paint as well as the cleaning of all elements which come into contact with the paint to child's play.

Standard accessories

- 2 nozzles for different viscosities of lacquer and glaze
- Purification brush for cleaning the uptake
- Purification needle for cleaning the spray nozzle
- Container for examination of viscosity
- Lid for paint container
- 1000 ml paint container

Technical data

- | | |
|-----------------------------|-------------------|
| ■ Mains supply | 220-240 V 50 Hz |
| ■ Power rating | 500 W |
| ■ Flow rate | 550 ml/min |
| ■ Volume of paint container | 1000 ml |



Removable spray head

for easy change of paint and cleaning
all paint-leading elements

**Practical suspension
device**

for space-saving storage

Adjustable air cap

for vertical, horizontal and
round jet

Paint flow regulation

for ideal adaptation of paint
application

Paint container (1000 ml)

with measuring scale for easy
refilling the paint

Ergonomic soft grip

for comfortable handling



TC-SY 600 S

FOR INTERIOR WALL PAINTS, LACQUERS & GLAZES.

The electric paint spray system TC-SY 600 S is a semi-stationary system for medium-size to large work surfaces, it is adapted for lacquers, glazes and interior wall paints.

The paint flow regulation as well as the adjustable air cap for vertical, horizontal and round jet enable exact and flexible adaptation to every application. A shoulder strap and a 1.8 meter air hose provide great mobility. The removable spray head makes the change of paint as well as the cleaning of all elements which come into contact with the paint to child's play.



Standard accessories

- 2 nozzles for different viscosities of paint, lacquer and glaze
- Purification brush for cleaning the uptake
- Purification needle for cleaning the spray nozzle
- Container for examination of viscosity
- Lid for paint container
- 800 ml paint container with measuring scale
- Shoulder strap
- Non-twisting air hose



Technical data

■ Mains supply	220-240 V 50 Hz
■ Power rating	600 W
■ Flow rate	1000 ml/min
■ Volume of paint container	800 ml
■ Hose length	1.8 m



Removable spray head

for easy change of paint and cleaning
all paint-leading elements

Paint flow regulation

for ideal adaptation of paint
application

Adjustable air cap

for vertical, horizontal and round jet

Ergonomic soft grip

for comfortable handling

Paint container (800 ml)

with measuring scale for easy
refilling the paint

**Shoulder strap and 1.8 m
non-twisting air hose**

for high mobility

Air filter

easy to change



TC-SY 700 S

FOR INTERIOR WALL PAINTS, LACQUERS & GLAZES.



The electric paint spray system TC-SY 700 S is a semi-stationary system for medium-size to large work surfaces, it is adapted for lacquers, glazes and interior wall paints.

The paint flow regulation as well as the adjustable air cap for vertical, horizontal and round jet enable exact and flexible adaptation to every application. A shoulder strap, pull sledge and a 3.5 meter air hose provide great mobility. The removable spray head makes the change of paint as well as the cleaning of all elements which come into contact with the paint to child's play.

Standard accessories

- 2 nozzles for different viscosities of paint, lacquer and glaze
- Purification brush for cleaning the uptake
- Purification needle for cleaning the spray nozzle
- Container for examination of viscosity
- Lid for paint container
- 800 ml paint container with measuring scale
- Shoulder strap
- Non-twisting air hose
- Pull sledge

Technical data

- | | |
|-----------------------------|-------------------|
| ■ Mains supply | 220-240 V 50 Hz |
| ■ Power rating | 700 W |
| ■ Flow rate | 1000 ml/min |
| ■ Volume of paint container | 1000 ml |
| ■ Hose length | 3.5 m |



Removable spray head

for easy change of paint and cleaning
all paint-leading elements

Paint flow regulation

for ideal adaptation of paint
application

Adjustable air cap

for vertical, horizontal and round jet

Paint container (800 ml)

with measuring scale for easy
refilling the paint

Ergonomic soft grip

for comfortable handling

Air filter

easy to change

Pull sledge

flexible working and hose
storage in one

**Shoulder strap and 3.5 m
non-twisting air hose**

for high mobility



THE PRODUCTS COMPARED.



		TC-SY 400 P	TC-SY 500 P	TC-SY 600 S	TC-SY 700 S
Technical data	Power rating	400 W	500 W	600 W	700 W
	Mains supply	220-240 V 50 Hz			
	Flow rate	500 ml/min	550 ml/min	1000 ml/min	1000 ml/min
	Container volume	800 ml	1000 ml	800 ml	1000 ml
	Hose length	-	-	1.8 m	3.5 m
Features	Adapted for lacquers and glazes	✓	✓	✓	✓
	Adapted for interior wall paints	-	-	✓	✓
	Paint flow regulation	✓	✓	✓	✓
	Adjustable air cap	✓	✓	✓	✓
	Removable spray head	✓	✓	✓	✓
	Soft grip	✓	✓	✓	✓
	Practical suspension device	✓	✓	-	-
	Shoulder strap	-	-	✓	✓
	Non-twisting air hose	-	-	✓	✓
Pull sledge	-	-	-	✓	
Accessories	Nozzles	✓ 2x	✓ 2x	✓ 2x	✓ 2x
	Purification brush	✓	✓	✓	✓
	Purification needle	✓	✓	✓	✓
	Container for examination of viscosity	✓	✓	✓	✓
	Lid for paint container	✓	✓	✓	✓
	Paint container with measuring scale	✓	✓	✓	✓
Article No.		42.600.05	42.600.10	42.600.15	42.600.20



PAINT SPRAY SYSTEMS. ONE SYSTEM DOES IT ALL.

Einhell Germany AG

Wiesenweg 22
94405 Landau/Isar
Germany

info@einhell.de
www.einhell.de

Service:

ISC GmbH, Eschenstr. 6,
94405 Landau/Isar
Germany



Find exactly what you need for any application including
interior wall paints, lacquers or glazes.